

Mini Security Bag Tag

revolutionary - easy - safe

Highest Security due to full protection of the Bag

Space saving product presentation due to innovative cubic design

Time saving due to fast and easy handling



The flexible Mini Security Bag Tag will secure any kind of merchandises

Highly Secure - Highly Deterrent

- Highest Security due to full protection of the bag
- More secure than a spider or safer box
- High deterrent due to active alarm when manipulated
- 3-Level alarm system provides triple protection of merchandise

Simplified and fast processes

- Intuitive handling
- Fast and easy install and removal speeds up your process
→ 2x faster than Spidernet
- No loss of space at the checkout thanks to the foldable bag

Optimized presentation of your goods

- the innovative cubic design allows a space saving product presentation
- transparent foil with thin conductive tracks enables to read product information on the packaging
- can be used in hanging or standing position
- Customised bag size available

Robust, reusable and ecological

- high-quality material ensure a high robustness
- the innovative productdesign enables reusability
- ecologically valuable because of the replaceable battery

Individual Bag Sizes & Transparency

- Create your OWN bag (size / logo) to fit your valuable merchandise
- Feasible for Barcodescanning due to high transparency of bag

Can Be Used in Refrigerator ($\geq 2^{\circ}$ C)


- the Mini Security Bag Tag can be used from $+2^{\circ}$ C to $+40^{\circ}$ C



Time saving = cost saving

Time	Spidernet	Spider	Sec Bag Tag + Sec Bag
attach	40 s	24 s	18 s
remove	17 s	21 s	10 s
total	57 s	45 s	28 s

s = Seconds




Provides up to three alarm levels

- 1. Alarm** Alarm at the EAS gate when passing the EAS gate (AM or RF)
- 2. Alarm** Full alarm of the Security Bag Tag by strong manipulation
- 3. Alarm** Self-alarm of the Security Bag Tag when passing the EAS gate (AM or RF)

Technical Specification

- Magnet strength: Super Magnet > 9000 Gauss, Standard Magnet > 4500 Gauss (Optional)
- EAS capability: AM (58 kHz) or RF (8.2 MHz)
- Dimensions Tag: (L/B/H): 60 mm / 53 mm / 27 mm, Sec Bag Dimensions see on the last page
- Batterie Type: replaceable standard CR2450 Batterie
- Tag lifetime: 3 years
- Alarm volume: >90 dB
- Alarm duration: Main alarm 5 Minutes
- Low battery warning: Continuous two short beep, please replace the battery
- Operation Temperature: Standard Version +2° C until +40° C
- Humidity: 20 % ~ 85 %
- Bag Material: food save (CCP + PET, conductiv track AL)
- Tag Material: ABS
- Maximal Bag Load: < 3 kg
- Durability Tag: > 1'500x with normal use
- Durability Bag: > 500x with normal use
- Color: black or customized (from 5'000 pcs)
- Packaging Tag: 100 pcs in one box, MOQ 25 pcs
- Packaging Bago: 100 pcs in one box, MOQ 20 pcs
- Patent: patent pending

 unlocking system - magnetic

Available Tags

Alarm-Type	EAS-System	Temperature	Magnet	Typ	Item number
1th + 2nd	AM	+2° C - +40° C	Super-Magnet	Mini Sec Bag Tag	SI8S M-SEC TAG SB2AM-1
1th + 2nd	RF	+2° C - +40° C	Super-Magnet	Mini Sec Bag Tag	SI8S M-SEC TAG SB2RF-1
1th + 2nd + 3rd	AM	+2° C - +40° C	Super-Magnet	Mini Sec Bag Tag	SI8S M-SEC TAG SB3AM-1
1th + 2nd + 3rd	RF	+2° C - +40° C	Super-Magnet	Mini Sec Bag Tag	SI8S M-SEC TAG SB3RF-1
1th + 2nd	AM	+2° C - +40° C	Standard-Magnet	Mini Sec Bag Tag	SI8M M-SEC TAG SB2AM-1
1th + 2nd	RF	+2° C - +40° C	Standard-Magnet	Mini Sec Bag Tag	SI8M M-SEC TAG SB2RF-1
1th + 2nd + 3rd	AM	+2° C - +40° C	Standard-Magnet	Mini Sec Bag Tag	SI8M M-SEC TAG SB3AM-1
1th + 2nd + 3rd	RF	+2° C - +40° C	Standard-Magnet	Mini Sec Bag Tag	SI8M M-SEC TAG SB3RF-1

Available Bags

width	depth	height	matching Tag	Item number
10.5 cm	8.5 cm	16.5 cm	Mini Sec Bag Tag	SI7 M-SEC BAG CST-1
13 cm	7.5 cm	19.5 cm	Mini Sec Bag Tag	SI7 M-SEC BAG CMT-1
10.5 cm	10.5 cm	33.5 cm	Mini Sec Bag Tag	SI7 M-SEC BAG SPIRIT CLT-1

➔ The Mini Security Bag Tag is available for Super-Magnet with >9000 Gauss or Standard-Magnet with >4500 Gauss.

